

A	Model	C	Outdoor unit		MXZ-3F68VF4				
			B	Indoor unit 1		MSZ-EF25VGK			
		Indoor unit 2		MSZ-EF25VGK					
		Indoor unit 3		MSZ-AY35VGK					
		Indoor unit 4		-					
		Indoor unit 5		-					
		Indoor unit 6		-					
D	Sound Power level on cooling mode	F	Out-side	dB(A)	63				
			E	Inside 1	dB(A)	60			
		Inside 2		dB(A)	60				
		Inside 3		dB(A)	57				
		Inside 4		dB(A)	-				
		Inside 5		dB(A)	-				
		Inside 6	dB(A)	-					
G	Refrigerant *1				R32				
H	Cooling	SEER			6,4				
		J	Energy efficiency class			A++			
		K	Annual electricity consumption *2	kWh/a	379				
		L	Design load	kW	6,8				
					Warmer	Average	Colder		
M	Heating	SCOP			-	3,7	-		
		J	Energy efficiency class			-	A	-	
		K	Annual electricity consumption *2	kWh/a	-	2600	-		
		L	Design load	kW	-	6,8	-		
		N	De- clared capacity	P	at reference design temperature	kW	-	-	-
				R	at bivalent temperature	kW	-	-	-
				S	at operation limit temperature	kW	-	-	-
T	Back up heating capacity	kW	-	-	-				

*	Electric power input in power modes other than 'active mode'	*	off mode (Poff)	kW	0,003
		*	standby mode (PSB)	kW	0,003
		*	thermostat - off mode Cooling (PTO(c))	kW	0,018
		*	thermostat - off mode Heating (PTO(h))	kW	0,018
		*	crankcase heater mode (PCK)	kW	0,000

	Deutsch Français Nederlands Español	Italiano Ελληνικά Português Dansk	Svenska Česky Slovensky Magyar	Polski Slovensko Български Română	Eesti Gaeilge Latviski Lietuvių k.	Malti Suomi Türkçe Hrvatski	Русский Norsk Українська
Ⓐ	Modell Modèle Model Modelo Modelo	Unità interna Εσωτερική μονάδα Unidade interior Unidad interior Model	Inomhusenhet Vnitřní jednotka Vnútrošná jednotka Beltéri egység Útomhusenhet Vnútorná jednotka Unidade exterior Unidad exterior	Jednostka wewnętrzna Notranja enota Внутреннее ядро Unitate de interior Útomhusenhet Jednostka zewnętrzna Zunanja enota Внешнее ядро Unitate de exterior	Siseseade Anonad laistigh İkêştelpu lerice Patalpoje montuojamas įrenginys Leibhéal chumhachta fuaimne ar mhodh fuaraithe Akustiskás jaudas límenis dzeaséšanas režimá Garso galios lygis vésinimo režimu	Unità għal giewwa Sisäysikkó İç Ünite Unutarnja jedinica Unità għal barra Ulkoysikkó Diş Ünite Vanjska jedinica	Внутренний прибор Innenlørsensenhet Внутрішній блок Unutarnja jedinica Наружный прибор Utendørsensenhet Зовнішній блок Vanjska jedinica
Ⓑ	Innengerät Appareil intérieur Binnenunit Unidad interior	Unità interna Εσωτερική μονάδα Unidade interior Unidad interior	Inomhusenhet Vnitřní jednotka Vnútrošná jednotka Beltéri egység Útomhusenhet Vnútorná jednotka Unidade exterior Unidad exterior	Jednostka wewnętrzna Notranja enota Внутреннее ядро Unitate de interior Útomhusenhet Jednostka zewnętrzna Zunanja enota Внешнее ядро Unitate de exterior	Siseseade Anonad laistigh İkêştelpu lerice Patalpoje montuojamas įrenginys Leibhéal chumhachta fuaimne ar mhodh fuaraithe Akustiskás jaudas límenis dzeaséšanas režimá Garso galios lygis vésinimo režimu	Unità għal giewwa Sisäysikkó İç Ünite Unutarnja jedinica Unità għal barra Ulkoysikkó Diş Ünite Vanjska jedinica	Внутренний прибор Innenlørsensenhet Внутрішній блок Unutarnja jedinica Наружный прибор Utendørsensenhet Зовнішній блок Vanjska jedinica
Ⓒ	Außengerät Modèle extérieur Buitenunit Unidad exterior	Unità esterna Εξωτερική μονάδα Unidade exterior Unidad exterior	Útomhusenhet Vnútorná jednotka Vnútorná jednotka Beltéri egység Útomhusenhet Vnútorná jednotka Unidade exterior Unidad exterior	Jednostka zewnętrzna Zunanja enota Внешнее ядро Unitate de exterior Útomhusenhet Jednostka zewnętrzna Zunanja enota Внешнее ядро Unitate de exterior	Siseseade Anonad laistigh İkêştelpu lerice Patalpoje montuojamas įrenginys Leibhéal chumhachta fuaimne ar mhodh fuaraithe Akustiskás jaudas límenis dzeaséšanas režimá Garso galios lygis vésinimo režimu	Unità għal giewwa Sisäysikkó İç Ünite Unutarnja jedinica Unità għal barra Ulkoysikkó Diş Ünite Vanjska jedinica	Внутренний прибор Innenlørsensenhet Внутрішній блок Unutarnja jedinica Наружный прибор Utendørsensenhet Зовнішній блок Vanjska jedinica
Ⓓ	Schalleistungspegel im Kühlmodus Niveaux de puissance corrects en mode de refroidissement Geluidsniveaus in koelstand Niveles de potencia del sonido en el modo de refrigeración	Livelli di potenza sonora in modalità di raffreddamento Επιπέδα ισχύος ήχου στην κατάσταση ψύξης Níveis de potência sonora em modo de arrefecimento Lydstyrkeniveauer i kølefunktion	Bullelmivá i nedkylningsläget Úrovň hlúčnosti v režimu chlazení Hladiny akustického výkonu v režime chladienia Hangnyomásszintek hűtés üzem-módban	Poziom mocy dźwięku w trybie chłodzenia Ravni zvočne moči v načinu hlajenja Нива на звуковата мощност в режим на охлаждане Nivel sonar în modul de răcire	Müratasemed jahutusrežiimis Leibhéal chumhachta fuaimne ar mhodh fuaraithe Akustiskás jaudas límenis dzeaséšanas režimá Garso galios lygis vésinimo režimu	Livelli tal-qawwa tal-hsejjes fil-modalità tal-kessih Äänvoimakkuausarot villen-nyttislassa Soğutma modunda ses güç düzeyleri Razine zvučnog tlaka pri hlađenju	Значения уровня звуковой мощности в режиме охлаждения Lydtrykknivåer i avkjølingsmodus Piani звуковой потужності у режимі охолодження Razine zvučnog tlaka pri hlađenju
Ⓔ	Innen À l'intérieur Binnenkant Interior	Εσωτερικό Interior İnvendig	Utsida Uvnitř Vo vnútri Bent	Wewnařtz Znotraj Внутре Interior	Sees Laiistigh İekêştelpás Vidinis	Gewwa Sisäpuoli İç taraf Unutra	Внутри İnnvendig Усевердині
Ⓕ	Außen À l'extérieur Buitenkant Exterior	Εξωτερικό Exterior Udvendig	Utsida Venku Vonku A szabadban	Na zewnařtz Zunaj На открыто Exterior	Vájas Lasmuigh Ártelpá İşorinis	Barra Ulko puoli Diş taraf Vani	Снаружи Utvendig Назовні

	Deutsch Français Nederlands Español	Italiano Ελληνικά Português Dansk	Svenska Česky Slovensky Magyar	Polski Slovensko Български Română	Eesti Gaeilge Latviski Lietuvių k.	Malti Suomi Türkçe Hrvatski	Русский Norsk Українська	
Ⓖ	Kühlmittel Réfrigérant Koelmiddel Refrigerante	Refrigerante Ψυκτικό Refrigerante Kølemiddel	Köldmedel Chladivo Chladivo Hűtőközeg	Czynnik chłodniczy Hladino sredstvo Хладилен агент Refrigerent	Külmutusagens Cuisneán Aukstumagents Šaldālis	Refriferant Kylumaine Soğutucu Rashladno sredstvo	Хладагент Kjølemedium Холодоагент	
Ⓗ	Kühlen Refroidissement Koelen Refrigeración	Raffreddamento Ψύξη Arrefecimento Køling	Kyla Chlazení Chladienie Hűtés	Chłodzenie Hlajenje Охлаждане Răcire	Chłodzenie Fuarú Dzeaséšana Vésinimas	Tkessiħ Villennys Soğutma Hlađenje	Охлаждение Avkjøling Охолодження	
Ⓖ	Energieeffizienzklasse Classe d'efficacité énergétique Energie-efficiëntieklasse Clase de eficiencia energética	Classe di efficienza energetica Κλάση ενεργειακής απόδοσης Classe de eficiencia energética Energieeffektivitetsklasse	Třída energetické účinnosti Trieda energetickej účinnosti Energiatékonyagsi osztály	Klasa energetyczna Razred energetske učinkovitosti Klas na energijnia eferktivnost Clasă de eficiență energetică	Klassa energietyczna Alcme éifeachtúlachta fuinnimh Energoefektivitātes klase Energojos vartojimo efektyvumo klasė	Energiatõhususe klass Alcme éifeachtúlachta fuinnimh Energoefektivitātes klase Energojos vartojimo efektyvumo klasė	Klassi tal-effiċjenza fl-użu tal-enerġija Energieftekkvuusluokka Enerji verimlilik sınıfı Klasa energetske učinkovitosti	Класс эффективности использования энергии Energieeffektivitetsklasse Класс эффективности энергопотребления
Ⓖ	Jahresstromverbrauch *2 Consommation d'électricité annuelle *2 Jaarlijks elektriciteitsverbruik *2 Consumo anual de electricidad *2	Consumo annuale di energia elettrica *2 Ετήσια κατανάλωση ρεύματος *2 Consumo anual de electricidade *2 Árlegt elforbrug *2	Årlig strømförbrukning *2 Roční spotřeba elektrické energie *2 Ročná spotreba elektriny *2 Éves áramfogyasztás *2	Zużycie prądu w skali roku *2 Letna poraba elektrike *2 Годишня консумация на електроенергия *2 Consum anual de electricitate *2	Aastane voolutarbimus *2 Ídíu leictréachais bhiantúil *2 Gada elektroenerģijas patēriņš *2 Metinis elektros enerģijas suvartojimas *2	Konsum annwals tal-elektiriku *2 Vuotuinen sähkönkulutus *2 Yllik elektrik tüketimi *2 Godišnja potrošnja električne energije *2	Годовое потребление электроэнергии *2 Árlegt strömforbruk *2 Річне споживання електроенергії *2	
Ⓖ	Lastauslegung Charge de calcul Ontwerpbelasting Carga de diseño	Carico nominale Σχεδιασμός φόρτωσης Carga nominal Brugslast	Dimensionerande belastning Jmenovitě zatížení Projektované zataženie Mérétezési terhelés	Maksymalne obciążenie Nazivna obremenitev Проектен товар Sarcină nominală	Projektteeritud koormus Lõd deartha Aprēķina slodze Projektēja apkrova	Tagħbija tad-dissinn Laskuteht kuormitus Tasarim yükü Težina uređaja	Расчетная нагрузка Utoeringsbelastning Розрахункова навантаження	
Ⓖ	Heizen (Jahresdurchschnitt) Chauffage (moyenne saison) Verwarmen (gemiddeld seizoen) Calefacción (temporada promedio)	Riscaldamento (stagione media) Θέρμανση (Μέσο χρονικό διάστημα) Aquecimento (Média estação) Varme (gennemsnitlig sæson)	Värme (genomsnittlig årstid) Topení (průměrná sezóna) Vyukurovanie (Priemerná sezóna) Fűtés (átlagos időjárás)	Ogrzewanie (średnie temperatury) Ogrevanje (povprečni letni čas) Otopljenje (Среден сезон) İncälzire (sezon mediu)	Kütmine (keskmise hooaeg) Táimh (meánseasúr) Silditšana (vidējā sezonā) Šildymas (vidutinio sezono)	Tishin (Stagun medju) Lammitys (vuodenajan keskiarvo) İstima (Ortalama mevsimlik) Zagrijavanje (prosječna sezona)	Нагрев (средний сезон) Orpvarming (gjennomsnittlig årstid) Opalennia (у середній/теплій сезон)	
Ⓖ	Nennkapazität Capacité déclarée Aangegeven capaciteit Capacidad declarada	Capacità dichiarata Δηλωμένη χωρητικότητα Capacidade declarada Erklæret kapacitet	Deklarerad kapacitet Udåvnad kapacita Deklarovaný výkon Névleges teljesítmény	Deklarowana pojemność Prijavljena zmogljivost Объявлена мощность Capacitate declarată	Deklareeritud võimsus Toileadhead fõgartha Deklarētā jauda Deklarotaisis pajõgumas	Kapaċità ddiċjarata Ilmoitettu teho Beyan edilen kapasite Deklarirani kapacitet	Гарантированная мощность Erklæret kapasitet Гарантована потужність	
Ⓖ	bei angegebener Referenztemperatur à la température de calcul de référence bij referentieontwerptemperatuur a temperatura de diseño de referencia bei bivalentem Temperaturniveau à température bivalente bij bivalente temperatuur a temperatura bivalente	alla temperatura di progetto di riferimento σε θερμοκρασία σχεδιασμού αναφοράς à temperatura nominal de referència ved brugsafhængig referencetemperatur alla temperatura bivalente σε θερμοκρασία διαθεσίμου λειτουργίας ved bivalent temperatur	vid dimensionerande referenstemp-eratur při referenční výpočtové teplotě pri referenčnej výpočtovej teplote tervezési referen-cia-hõmérésékleten vid bivalent temperatur při bivalentní teplotě pri bivalentnej teplote bivalens hõmérésékleten	w znamionowej temperaturze odniesienia *2 ob referenční nazivni temperaturi при изчислителна проектна температура la temperatura de referință nominală w temperaturze bivalentnej při bivalentní temperaturi при бивалентна температура la temperatura de bivalent	projekteerimise võrdlustemperatu-ur juures ag teocht deartha tagartha aprēķina references temperatūrā esant norminei projektēnei temperatūrai bivalentse temperatūri juures bivalentē temperatūrā esant perējimo j dvejopo šildymo režīmā temperatūrai	l-temperatura tad-dissinn ta' referenza perusmitoituislämpötilassa referans tasarim sicakiginda při referentnoj temperaturi f'temperatura bivalenti kaksiarvoisessa lämpötilassa iki deđerli sicaklikta při bivalentnoj temperaturi	при эталонной расчетной температуре ved referansetemperatur for utforming При эталонній розрахунковій температурі při referentnoj temperaturi f'temperatura bivalenti ved bivalent temperatur Při bivalentnoj temperaturi	
Ⓖ	bei Temperatur an der Betriebsgrenze à température de fonctionnement limite bij grens werkingstemperatuur a temperatura limite de funcio-namiento	alla temperatura limite di funzio-namento σε θερμοκρασία ορίου λειτουργίας à temperatura de limite de funcio-namento ved driftsgrænsetemperatur	vid driftstemperaturens gränsvärde při teplotě na hranici provozního limitu pri hraničnej prevádzkovej teplote maximális üzemi hõmérésékleten	w granicznej temperaturze roboczej při mejni delovni temperaturi при гранична работна температура la temperatura limită de funcio-nare	tõõtamise piirtemperatuur juures ag teocht teorann oibrücháin ekspluatācijas robežtemperatūrā esant ribinei veikimo temperatūrai	f'temperatura tal-limitu tal-thaddim toimintarajalämpötilassa çalışma limiti sicakiginda při graničnoj radnoj temperaturi	при предельной рабочей температуре ved temperatur for driftsgrense При граничній робочій температурі	
Ⓖ	Backup-Heizleistung Capacité de chauffage d'appoint Reserveverwarmingscapaciteit Capacidad de calefacción auxiliar	Capacità di riscaldamento addizionale Δυνατότητα επεδερικής θέρμανσης Capacidade de aquecimento de reserva Reservevarmekapacitet	Kapacitet för reservvärme Kapacita záložního vytápění Výkon záložného vykurovacieho telesa Kisegetűs fűtési teljesítmény	Zapasowa pojemność grzewcza Rezervna zmogljivost ogrevanja Мощност на спомогателно електрическо подгряване Capacitate de încălzire de siguranță	Tagavara küttevõimsus Toileadhead téimh chùltaca Rezerves silditāja jauda Pagabino šildymo pajõgumas	Kapaċità tal-tishin ta' sostenn Varalämmitysteho Yedek istma kapasitesi Kapacitet rezervnog grijanja	Резервная тепловая мощность Sikkerhetskapasitet for orpvarming Резервна теплова потужність	

